

Primer 100 Insulator



Product Description:

Type:

A white, water-based interior sealer specially formulated to penetrate porous surfaces and improve substrate consolidation. It provides excellent adhesion, good alkali resistance, and helps reduce the absorption of subsequent paint coats, ensuring a uniform finish and improved topcoat performance. It is easy to apply, fast drying, and suitable for a wide range of interior masonry surfaces.

Usage:

It is used to prepare interior surfaces, both new and old, such as brick, concrete, cementitious surfaces, and gypsum boards.

KEY FEATURES :

- 1- Excellent penetration into porous surfaces.
2. Good alkali resistance.
3. Improves adhesion of subsequent coats.
4. Reduces paint consumption.
5. Seals and stabilizes the substrate.
6. Promotes a uniform finish.
7. Easy to apply.
8. Suitable for interior masonry surfaces.

Product Properties:

Ensure the surface is clean, dry, sound, and free from dust, grease, loose particles, and any contaminants. Stir the product thoroughly before use and dilute with clean water if required. Apply one uniform coat by brush, roller, or spray and allow it to dry completely before applying subsequent coats. Highly porous surfaces may require an additional coat. Do not apply when the temperature is below 10°C or when the relative humidity exceeds 85%.

Primer 100 Insulator



Product Properties:

Appearance	Matt
Color	White
Viscosity	115 ± 5KU
Solid Content	58 ± 2
Coverage Rate	5 - 6 m ² per 1 kg
Thinning	5-10 % using clean water.
Surface Drying	60 – 90 Minutes
Recoat Time	2 – 4 Hours
Full Cure	12 Hours

Primer 100 Insulator



Application Tools:

Air compressor.



Paint Roller.



Paintbrush.



Packaging:

10 Kg,

Storage and Shelf Life:

- 1- Store the product in its original, tightly closed container in a well-ventilated area away from direct sunlight and heat.
- 2- The product remains valid for 12 months from the date of production.

Safety and Precautions:

- 1- Do not store food inside the empty container.
- 2- Avoid contact with eyes. In case of contact, rinse immediately with water and seek medical advice.

Warranty:

We guarantee the quality of our products as stated in this data sheet, which reflects our extensive experience and the tests conducted on the product..