

## UNIFIX C2



### Product Description:

#### Type:

High-quality polymer-modified cementitious tile adhesive, specially formulated for fixing ceramic and porcelain tiles on interior and exterior walls and floors. It provides enhanced adhesion strength compared to conventional tile adhesives, ensuring reliable performance and durable bonding under a wide range of service conditions.

#### Usage:

Suitable for the installation of ceramic and porcelain tiles on interior and exterior walls and floors, providing strong adhesion and durable performance in residential and commercial applications.

#### Key Features:

1. Very high adhesion strength (C2 classification).
2. Durable and reliable performance for interior and exterior applications.
3. Good workability and stability during application.
4. Moisture resistant.
5. Suitable for most types of ceramic and porcelain tiles.
6. Economical performance with high quality.
7. Easy to mix and apply.

#### Application Method:

Mix a 20 kg bag with approximately 5.0–6.0 liters of clean water until a homogeneous, lump-free mortar is obtained. Allow the mixture to stand for 3–5 minutes, then remix before application. Apply using a suitable notched trowel and firmly press the tiles into position while the adhesive is still fresh. Do not apply more adhesive than can be covered with tiles within the open time. Allow sufficient curing before grouting and service.

## UNIFIX C2



### Product Properties:

Classification:	C2 according to EN 12004
Color	White
Mixing Water	4.5 – 5.5 Liters per 20 kg bag
Pot Life	Approx. 2 – 3 Hours
Open Time	≥ 20 Minutes
Adjustability Time	Approx. 15 – 20 Minutes
Slip	≤ 0.5 mm
Service Temperature	+5°C to +35°C
Grouting Time	.After 24 Hours
Full Cure	7 - 14 Dayes

## UNIFIX C2



### Approximate Consumption:

Consumption depends on the substrate condition, tile size, and trowel notch size, and typically ranges from 3 – 5 kg/m<sup>2</sup>.

### Packaging:

20 Kg

### Storage and Shelf Life:

- 1- Store the product in its original, tightly closed container in a well-ventilated area away from direct sunlight and heat.
- 2- The product remains valid for 12 months from the date of production.

### Safety and Precautions:

- 1- Do not store food inside the empty container.
- 2- Avoid contact with eyes. In case of contact, rinse immediately with water and seek medical advice.

### Warranty:

We guarantee the quality of our products as stated in this data sheet, which reflects our extensive experience and the tests conducted on the product..