

UNIFIX C2TE



Product Description:

Type:

UNIFIX C2TE is a high-quality polymer-modified cementitious tile adhesive designed for fixing ceramic and porcelain tiles on interior and exterior walls and floors. It provides excellent adhesion strength, reduced slip, and extended open time, ensuring reliable performance and durable bonding in a wide range of applications.

Usage:

Suitable for the installation of ceramic and porcelain tiles on interior and exterior walls and floors in residential, commercial, and industrial applications. It can be applied on cement renders, concrete, and cement-based screeds.

Key Features:

1. Very high adhesion strength (C2).
2. Reduced slip for vertical applications (T).
3. Extended open time for easier tile installation (E).
4. Excellent flexibility to help reduce cracking.
5. Resistant to moisture and weather conditions.
6. Suitable for concrete and cement-rendered surfaces
7. Easy to mix and apply.

Application Method:

Mix one 20 kg bag with 4.5–5.5 liters of clean water until a smooth, homogeneous, lump-free mortar is obtained. Allow the mixture to stand for 3–5 minutes and remix before use. Apply the adhesive using a suitable notched trowel and firmly press the tiles into place while the adhesive remains fresh. Allow sufficient curing before grouting and service.

UNIFIX C2TE



Product Properties:

Classification:	C2TE
Color	White
Mixing Water	4.5 – 5.5 Liters per 20 kg bag
Pot Life	Approx. 2 – 3 Hours
Open Time	≥ 30 Minutes
Adjustability Time	Approx. 20 Minutes
Slip	≤ 0.5 mm
Service Temperature	+5°C to +35°C
Grouting Time	.After 24 Hours
Full Cure	7 - 14 Dayes

UNIFIX C2TE



Approximate Consumption:

Consumption depends on the substrate condition, tile size, and trowel notch size, and typically ranges from 3 – 5 kg/m².

Packaging:

20 Kg

Storage and Shelf Life:

- 1- Store the product in its original, tightly closed container in a well-ventilated area away from direct sunlight and heat.
- 2- The product remains valid for 12 months from the date of production.

Safety and Precautions:

- 1- Do not store food inside the empty container.
- 2- Avoid contact with eyes. In case of contact, rinse immediately with water and seek medical advice.

Warranty:

We guarantee the quality of our products as stated in this data sheet, which reflects our extensive experience and the tests conducted on the product..